INDEX TO VOLUME 38

[New names in *italic* type]

aberti, Sciurus, 129, 495
Abnormalities, Pecari, 420
Accidents, Felis, 123
Activity:
  Dicrostonyx, 218
  Dipodomys, 503
  method for determining, 531
acutorostrata, Balaenoptera, 186
Adaptations:
  Microtus, 530
  Rattus, 531
  Reithrodontomys, 530
  Sorex, 530
Aestivation:
  Perognathus, 60
  Tamias, 196
aethiopicus, Paraechinus, 255
  Phacochoerus, 279
Africa, 243, 351
africana, Loxodonta, 243
Age determination, mink, 319
Age ratio, Myotis, 26
agrarius, Apodemus, 374, 382
Alaska, 78, 121, 127, 218, 269, 310
albigula, Neotoma, 499
albus, Ondatra, 111
Alcorn, Albert A.:
  (see Russell, Robert J. and Alcorn)
Aldous, Clarence M.:
  Fluctuations in pocket gopher populations, 266
americana, Antilocapra, 423
  Euarctos, 261
  Martes, 174, 412, 517
am ·ricanus, Lepus, 517, 527
  Ursus, 423
amoenus, Eutamias, 446
amphibius, Hippopotamus, 279
anatinus, Ornithorhynchus, 279
Anatomy, Taxidea, 453
ancipidens, Mephititaxus, 452
Anoa depressicornis, long., 279
Antilocapra americana sonoriensis, Ariz., distr., 423
Antlers:
  Odocoileus, 277
  Rangifer, 275
Antrozous pallidus, N. Mex., distr., 493
apache, Perognathus, 496
Ape, 188
Apodemus agrarius, Korea, habits, 374, 382
  peninsulae peninsulae, 387
aphorodemus, Microtus, 107
aquaticus, Scalopus, 281
Arboreal behavior, Nasua, 263
arcticus, Rangifer, 275
  Sorex, 87
Arizona, 123, 234, 260, 414, 420, 423, 454, 463, 520
Armadillo, nine-banded,529
Artibeus, 409
  cinereus aztecus, Mex., distr., 10
  cinereus toltecus, Mex., distr., 10
  hirsutus, Mex., distr., wt., hab., 6
  jamaicensis, Bahama, misc., 166
  jamaicensis jamaicensis, Mex., distr., 7
  jamaicensis parvipes, Bahama, misc., 166
  lituratus palmarum, Mex., distr., 8
  nanus, Mex., distr., 11
astutus, Bassariscus, 500, 516
audubonii, Sylvilagus, 234, 274, 494
auratus, Mesocricetus, 423
aurita, Lonchorhina, 166
australis, Miniopterus, 128
austroriparius, Myotis, 15, 259, 515
aztecus, Artibeus, 10

Badger, 500
Bahama, local list, 164
baileyi, Perognathus, 521
Baiomys taylori, Ariz., distr., hab., 520
bairdi, Berardius, 186
  Peromyscus, 54
Balaenoptera acutorostrata, comp., 186
Balantiopteryx plicata plicata, Mex., distr., hab., 1
Balser, Donald S.:
  (see Doll, Arthur D. et al.)
Banding, bats, 402
Barbehenn, Kile R. and John G. New:
  Possible natural intergradation between prairie and forest deer mice, 210
Barber, Albert A.:
  (see Jones, J. Knox, Jr. and Barber)
Barbour, Roger W.:

INDEX TO VOLUME 38

[New names in *italic* type]

aberti, Sciurus, 129, 495
Abnormalities, Pecari, 420
Accidents, Felis, 123
Activity:
  Dicrostonyx, 218
  Dipodomys, 503
  method for determining, 531
acutorostrata, Balaenoptera, 186
Adaptations:
  Microtus, 530
  Rattus, 531
  Reithrodontomys, 530
  Sorex, 530
Aestivation:
  Perognathus, 60
  Tamias, 196
aethiopicus, Paraechinus, 255
  Phacochoerus, 279
Africa, 243, 351
africana, Loxodonta, 243
Age determination, mink, 319
Age ratio, Myotis, 26
agrarius, Apodemus, 374, 382
Alaska, 78, 121, 127, 218, 269, 310
albigula, Neotoma, 499
albus, Ondatra, 111
Alcorn, Albert A.:
  (see Russell, Robert J. and Alcorn)
Aldous, Clarence M.:
  Fluctuations in pocket gopher populations, 266
americana, Antilocapra, 423
  Euarctos, 261
  Martes, 174, 412, 517
am ·ricanus, Lepus, 517, 527
  Ursus, 423
amoenus, Eutamias, 446
amphibius, Hippopotamus, 279
anatinus, Ornithorhynchus, 279
Anatomy, Taxidea, 453
ancipidens, Mephititaxus, 452
Anoa depressicornis, long., 279
Antilocapra americana sonoriensis, Ariz., distr., 423
Antlers:
  Odocoileus, 277
  Rangifer, 275
Antrozous pallidus, N. Mex., distr., 493
apache, Perognathus, 496
Ape, 188
Apodemus agrarius, Korea, habits, 374, 382
  peninsulae peninsulae, 387
aphorodemus, Microtus, 107
aquaticus, Scalopus, 281
Arboreal behavior, Nasua, 263
arcticus, Rangifer, 275
  Sorex, 87
Arizona, 123, 234, 260, 414, 420, 423, 454, 463, 520
Armadillo, nine-banded,529
Artibeus, 409
  cinereus aztecus, Mex., distr., 10
  cinereus toltecus, Mex., distr., 10
  hirsutus, Mex., distr., wt., hab., 6
  jamaicensis, Bahama, misc., 166
  jamaicensis jamaicensis, Mex., distr., 7
  jamaicensis parvipes, Bahama, misc., 166
  lituratus palmarum, Mex., distr., 8
  nanus, Mex., distr., 11
astutus, Bassariscus, 500, 516
audubonii, Sylvilagus, 234, 274, 494
auratus, Mesocricetus, 423
aurita, Lonchorhina, 166
australis, Miniopterus, 128
austroriparius, Myotis, 15, 259, 515
aztecus, Artibeus, 10

Badger, 500
Bahama, local list, 164
baileyi, Perognathus, 521
Baiomys taylori, Ariz., distr., hab., 520
bairdi, Berardius, 186
  Peromyscus, 54
Balaenoptera acutorostrata, comp., 186
Balantiopteryx plicata plicata, Mex., distr., hab., 1
Balser, Donald S.:
  (see Doll, Arthur D. et al.)
Banding, bats, 402
Barbehenn, Kile R. and John G. New:
  Possible natural intergradation between prairie and forest deer mice, 210
Barber, Albert A.:
  (see Jones, J. Knox, Jr. and Barber)
Barbour, Roger W.:

Some additional mammal records from Kentucky, 140
Barnes, Claude T.:
The natural history of a Wasatch summer (Reviewed), 426
Bartholomew, George A. and Tom J. Cade:
Temperature regulation, hibernation, and aestivation in the little pocket mouse, Perognathus longimembris, 60
Bassariscus astutus, N. Mex., distr., hab., 500; food, 516
Bat:
California, 493
common vampire, 11
dwarf fruit, 11
fringed, 492
fruit, 409
funnel-eared, 11
hoary, 140
hog-nosed, 513
Indiana, 259
Jamaica fruit, 7
little brown, 32, 121, 122, 406, 514
little fruit, 10
long-nosed,454
lump-nosed, 493
mastiff, 514
Mexican free-tailed, 493
pale, 493
silver-haired, 493
spotted, 260, 406
Trinidad fruit, 9
Bat caves, 259
Bear, black, 261
Beatty, R. A.:
Parthenogenesis and polyploidy in mammalian development (Reviewed), 536
Beauchamp, Don E. and Fred L. Jones:
A cryptorchid Rocky Mountain mule deer, 423
Beaver, 268, 269, 497
Bedding habits, Odocoileus, 249
Bee, James W. and E. Raymond Hall:
Mammals of northern Alaska: on the Arctic slope (Reviewed), 426
beecheyi, Citellus, 517
Beer, James R., Charles F. MacLeod and Louis D. Frenzel:
Prenatal survival and loss in some cricetid rodents, 392
Behavior:
Halichoerus, 297
Odocoileus, 420
Beluga, 186
Benson, D. A.:
Abnormal dentition in white-tailed deer, 140
Berardius bairdi, comp., 186
berdmorei, Rattus, 225
Bibos frontalis, long., 279
bilineata, Saccopteryx, 1
Biological characteristics, Peromyscus, 211
Bison, American, 139
blainvilli, Mormoops, 165
Blarina brevicauda, Man., ecol., 95; Ill., 522
telmalestes, as food, 281
Blood:
Euarctos, 261
Procyon, 261
Sylvilagus, 136
Body temperature, Erinaceus, 254
Booloottian, Richard A.:
Notes on a specimen of the harbor porpoise, 265
borealis, Lasiurus, 167
Synaptomys, 112
Bos taurus, long., Wales, 280
bottae, Thomomys, 227, 267, 495, 517, 523
boylei, Peromyscus, 417, 444, 498
brasiliensis, Tadarida, 168, 461
Breeding, Neotoma, 472
Breeding cycle, Odocoileus, 116
Breeding habits:
Artibeus, 8, 10
Desmodus, 11
Dicrostonyx, 113
Myotis, 18
Odocoileus, 251
Breeding season:
Halichoerus, 297
Microtus, 107
Myotis, 17, 260
Perognathus, 207
Phenacomys, 106
Sorex, 159
Sylvilagus, 235
brevicauda, Blarina, 95, 522
Browman, Ludvig G. and Paul Hudson:
Observations on the behavior of penned mule deer, 247
Buchanan, G. D.:
Variation in litter size of nine-banded armadillos, 529
Buckley, John L. and Robert F. Scott:
(Review of) James W. Bee and E. Raymond Hall, Mammals of northern

Alaska: on the Arctic slope, 426
Buechner, C. H.:
Home range of Synaptomys cooperi, 132
Population studies on small mammals of southeastern Manitoba, 87
Buechner, Helmut K.:
Three additional records of antlered female deer, 277
Buffalo, pigmy, 279
burchellii, Equus, 279
bursarius, Geomys, 261
Burt, William Henry:
Mammals of the Great Lakes region (Reviewed), 429
burti, Reithrodontomys, 417
Butterworth, Bernard B.:
Phocoenoides dalli washed ashore in California, 126

Cade, Tom J.:
(see Bartholomew, George A. and Cade)
California, 60, 126, 157, 237, 260, 265, 274, 417, 423, 441, 463, 503, 529
californicus, Lepus, 419, 481, 485, 493
Microtus, 157, 444, 530
Perognathus, 444
Peromyscus, 444
Callorhinus ursinus, Alaska, dent., 310
canadensis, Castor, 497
Lynx, 414
Capreolus capreolus, N.Y., distr., 422
Capromys ingrahami abaconis, Bahama, misc., 165
ingrahami irrectus, Bahama, misc., 165
Captivity:
Felis, 515
Neotoma, 472
Capture, Tamias, 192
Caribou, 275
Carollia, 409
subrufa, Mex., distr., wt., 5
Castor canadensis mexicanus, N. Mex., distr., hab., 497
Cat:
civet, 141
house, 517
Cervus unicolor, long., 279
Chamberlain, Norman V.:
Thomomys bottae aureiventris Hall from Nevada, 267
Chew, Robert M. and Ralph T. Hinegardner:
Effects of chronic insufficiency of drinking water in white mice, 361
Chiasson, Robert B.:
The dentition of the Alaskan fur seal, 310
Chilonycteris psilotis, Mex., distr., 2
rubiginosa mexicana, Mex., distr., wt., 2
Chipmunk:
Colorado, 495
eastern, 129, 192, 519
Choeronycteris mexicana, Mex., distr., wt., 5; N. Mex., distr., hab., 513
Choeropsis liberiensis, long., 279
Choloepus didactylus, repro., 419
cinerea, Neotoma, 227, 472
cinereoargenteus, Urocyon, 500
cinereus, Artibeus, 10
Lasiurus, 140, 514
Sorex, 78, 87, 103, 161, 256, 513
Citellus beecheyi, as prey, 517
interpres, N. Mex., distr., hab., 495
leucurus pennipes, N. Mex., distr., hab., 495
richardsonii elegans, Wyo., hab., repro., 415
spilosoma marginatus, N. Mex., distr., hab., 494
variegatus grammurus, N. Mex., distr., hab., 494
Claws, Dicrostonyx, 127
Clethrionomys gapperi gapperi, Ont., 257
gapperi hudsonius, Man., distr., 104
gapperi loringi, Man., ecol., pop., 87
rufocanus regulus, 390
rutilus dawsoni, Alaska, thermal conductivity, 78
Cloutier, Roger J.:
(see Hall, John S. et al.)
Clothier, Ronald R.:
A second dwarf shrew from New Mexico, 256
Coati, 123, 263
Color:
Felis, 515
Myotis, 463
Tadarida, 461
Color variation, Thomomys, 523
Colorado, 129, 135, 268, 517, 523, 526
columbianus, Odocoileus, 116
Colyer, Frank and A. E. W. Miles:
Injury to and rate of growth of an elephant tusk, 243
concolor, Felis, 123

Conepatus mesoleucus, Ariz., distr., 414
Conklin, Alice:
(see Eads, R. B. et al.)
Connecticut, 122, 133
conversidens, Equus, 278
cooperi, Synaptomys, 95, 132, 282
Constantine, Denny G.:
Color variation and molt in Tadarida brasiliensis and Myotis velifer, 461
Coprophagy, Sylvilagus, 136
Corynorhinus rafinesquii, Ky., distr., 141
rafinesquii pallescens, N. Mex., distr., 493
townsendii virginianus, Ky., distr., 141
Cotton rat, least, 498
Cottontail:
Audubon, 234
cedarbelt, 494
eastern, 137, 275
Manzano mountain, 494
coucang, Nycticebus, 279
Cougar, 123
Cow, 280
crassicaudatus, Galago, 279
Crocidura lasiura thomasi, 390
olivieri, anat., 258
suaveolens coreae, 391
Cryptorchidism, Odocoileus, 423
Cryptotis parva, Ga., ecol., 72; comp., 161
cumingi, Phloeomys, 279
cuniculus, Oryctolagus, 481
Cutter, William L.:
A young jaguarundi in captivity, 515
Cynomys, N. Mex., distr., 494

Dahlberg, Burton L. and R. C. Guettinger:
The white-tailed deer in Wisconsin (Reviewed), 143
dalli, Phocoenoides, 126
Dasypterus ega xanthinus, Mex., distr., meas., 13
Dasypus novemcinctus, litter size, 529
Davies, J. L.:
The geography of the gray seal, 297
Davis, David E.:
Observations on the abundance of Korean mice, 374
The use of food as a buffer in a predator-prey system, 466
Manual for analysis of rodent populations (Reviewed), 286
Davis, William B.:
(see Lukens, Paul W., Jr. and Davis)
davyi, Pteronotus, 3
dawsoni, Clethrionomys, 78
DeCoursey, G. E., Jr.:
Identification, ecology and reproduction of Microtus in Ohio, 44
Deer:
Columbian black-tailed, 116
mule, 247, 423
roe, 422
sambar, 279
white-tailed, 140, 277, 420, 421
delicatus, Paramys, 233
Delphinapterus leucas, anat., 185
Denniston, Rollin H., II:
Notes on breeding and size of young in the Richardson ground squirrel, 414
Density, Myotis, 22
Dentition:
Callorhinus, 310
Crocidura, 258
Loxodonta, 243
Mephititaxus, 452
Peromyscus, 522
Sorex, 121
depressicornis, Anoa, 279
Description, Phocoena, 265
Desmodus rotundus murinus, Mex., distr., hab., 11
Development:
Halichoerus, 297
Sorex, 160
de Vos, Antoon:
Peak populations of the masked shrew in northern Ontario, 256
Pregnancy and parasites of marten, 412
(Review of) F. H. Van den Brink, Zoogdierengids, 284
Dexter, Ralph W.:
Additional records of the Ohio shrew, 513
The yellow-haired porcupine as a highway casualty, 526
Dickerman, Robert W.:
Onychomys leucogaster in Kittson County, Minnesota, 269
Dicrostonyx groenlandicus richardsoni, Man., distr., 112
groenlandicus rubricatus, Alaska, claws, 127; 218
didactylus, Choloepus, 419
Dipodomys merriami, N. Mex., distr., hab.,

496; water balance, 502; Ariz., 521
microps, Utah, parasites, 489
morroensis, Calif., activity, water balance, hab., 503; food, 506
ordii, N. Mex., distr., hab., 496; Utah, parasites, 489
panamintinus, Calif., activity, water balance, hab., 503; food, 506
spectabilis, Ariz., 521
spectabilis baileyi, N. Mex., distr., hab., repro., 330; N. Mex., distr., hab., 496
dispar, Sorex, 406
Distribution:
Antilocapra, 423
Antrozous, 493
Artibeus, 6, 7, 8, 10, 11
Baiomys, 520
Balantiopteryx, 1
Bassariscus, 500
Capreolus, 422
Carollia, 5
Castor, 497
Chilonycteris, 2
Choeronycteris, 5, 513
Citellus, 495
Clethrionomys, 104
Corynorhinus, 141, 493
Cynomys, 494
Dasypterus, 12
Desmodus, 11
Dicrostonyx, 112
Dipodomys, 496
Eptesicus, 12
Erethizon, 499, 526
Eumops, 514
Eutamias, 495
Glossophaga, 4
Halichoerus, 297
Lasionycteris, 493
Lasiurus, 140, 514
Lemmus, 112
Leptonycteris, 5, 455
Lepus, 493
Macrotus, 4
Mephitis, 501
Micronycteris, 3
Microsorex, 513
Microtus, 107, 111, 499
Molossus, 13
Mormoops, 3
Mus, 113, 499
Mustela, 103, 500
Myotis, 12, 493, 515
Nasua, 123
Natalus, 11
Neotoma, 197, 472, 498
Noctilio, 2
Ondatra, 111, 499
Onychomys, 498
Oryzomys, 141
Perognathus, 496
Peromyscus, 54, 497
Phenacomys, 105
Phocoenoides, 126
Procyon, 500
Pteronotus, 3
Rattus, 499
Reithrodontomys, 497, 521
Rhogeessa, 13
Saccopteryx, 1
Sciurus, 495
Sigmodon, 498
Sorex, 103, 513
Spilogale, 141
Sturnira, 5, 6
Sylvilagus, 494
Synaptomys, 112
Tadarida, 13, 493
Tamiasciurus, 103, 495
Taxidea, 500
Thomomys, 495
Urocyon, 500
Vulpes, 500
Zapus, 114
Doll, Arthur D., Donald S. Balser and Robert F. Wendt:
Recent records of Canada lynx in Wisconsin, 414
domestica, Felis, 468, 517
domesticus, Mus, 113
dorsatum, Erethizon, 418, 499, 526
Drinking, Odocoileus, 249
drummondi, Microtus, 87
Duke, Kenneth L.:
Reproduction in Perognathus, 207
(Review of) I. Chester Jones, The adrenal cortex, 537

Eads, R. B., J. E. Grimes and Alice Conklin:
Additional Texas bat records, 514
Ecke, Dean H.:
(see Kinney, Alva R. et al.)
Ecology:
Blarina, 95

Clethrionomys, 87
Cryptotis, 72
Eutamias, 95
Microtus, 44, 87
Mus, 72
Mustela, 95
Myotis, 15
Perognathus, 60
Peromyscus, 54, 72, 95
Reithrodontomys, 72
Sorex, 87, 95
Synaptomys, 95
Tamias, 95
Tamiasciurus, 95
Zapus, 95
economis, Microtus, 78
ega, Dasypterus, 12
Egoscue, Harold J.:
Notes on Utah weasels, 411
The desert woodrat: a laboratory colony, 472
Egypt, 258
Elephant, 243
Embryos, beaver, 268
Environment, Sorex, 157
Eptesicus fuscus, Bahama, misc., 167
fuscus bahamensis, Bahama, misc., 167
fuscus cubensis, Bahama, misc., 167
fuscus dutertreus, Bahama, misc., 167
fuscus miradorensis, Mex., distr., wt., 12
Equus burchellii, long., 279
conversidens, syn., misc., 278
occidentalis, misc., 278
tau, misc., 278
Erethizon dorsatum, Ariz., hab., 418; Mich., hab., mort., 526; N. Mex., distr., hab., 499
dorsatum epixanthum, Colo., mort., 526
Erinaceus europaeus, anat., 254; long., 279
Ermine, 103
ermina, Mustela, 95, 103, 411, 500
Eropylla sezekorni, Bahama, misc., 166
sezekorni mariguanensis, Bahama, misc., 166
sezekorni planifrons, Bahama, misc., 166
Escape behavior, Lepus, 517
Euarctos americanus, misc., 261
Euderma maculata, Calif., Ariz., desc., 260; Id., distr., 406
Eumops perotis, Tex., distr., 514
europaeus, Erinaceus, 254, 279
Lepus, 482
Eutamias amoenus, Calif., hab., 446
merriami, Calif., hab., 444
minimus, Man., ecol., 95
minimus borealis, tax., 518
minimus jacksoni, tax., 518
minimus neglectus, tax., 518
quadrivittatus, N. Mex., distr., hab., 495
sibiricus barberi, 390
Extension of range:
Euderma, 406
Macrophyllum, 406
Sorex, 406

Feeding:
Felis, 515
Nasua, 263
Odocoileus, 249
Felis concolor, Utah, accidents, 123
domestica, as predator, 468; food, 517
yagouaroundi, captivity, color, feeding, habits, play, voice, 515
ferrus, Sciurus, 129
Findley, James S.:
The hog-nosed bat in New Mexico, 513
Findley, James S. and John Poorbaugh:
Another dwarf shrew from New Mexico, 513
flavus, Perognathus, 496, 521
Potos, 263, 279
Florida, 137, 259, 452
floridana, Neotoma, 197
floridanus, Sylvilagus, 136, 137, 235, 275, 282, 482, 494
Fluctuations, marten, 174
pocket gopher, 266
Food:
Bassariscus, 516
Castor, 268
Dipodomys, 506
Felis, 517
fruit bats, 409
Mustela, 517
Peromyscus, 129
Tamias, 129
Foraging, Myotis, 121
formosus, Perognathus, 207
fortidens, Myotis, 12
Fossil, Mephititaxus, 452
Foster, J. Bristol:
(see Smith, Donald A. and Foster)

Fox:
desert, 500
gray, 500
frenata, Mustela, 411, 500, 517
Frenzel, Louis D.:
(see Beer, James R. et al.)
frontalis, Bibos, 279
fulvus, Pteronotus, 3
fumeus, Sorex, 160
fuscus, Eptesicus, 12, 167, 423
fuscipes, Neotoma, 444

Galago crassicaudatus, long., 279
Galago, grand, 279
gapperi, Clethrionomys, 87, 104, 257, 396
Gashwiler, Jay S. and W. Leslie Robinette:
Accidental fatalities of the Utah cougar, 123
Gayal, 279
Geis, Aelred D.:
Coprophagy in the cottontail rabbit, 136
Noraml blood cell counts for the cottontail rabbit, 136
Gentry, John B. and Eugene P. Odum:
The effect of weather on the winter activity of old-field rodents, 72
Geomys bursarius, 261
Georgia, 72, 270
Gestation, Odocoileus, 116
Getz, Lowell L.:
Color variation in pocket gophers, Thomomys, 523
glama, Lama, 279
Glossophaga soricina, Bahama, misc., 166
soricina leachi, Mex., distr., hab., wt., 4
Golley, Frank B.:
Distribution of porcupine in upper Michigan, 526
Gestation period, breeding and fawning behavior of Columbian black-tailed deer, 116
Gopher, pocket, 132, 266, 495, 496
Grampus rectipenna, comp., 186
Greer, Kenneth R.:
Some osteological characters of known-age ranch mink, 319
Greenhall, Arthur M.:
Food preferences of Trinidad fruit bats, 409
Griffin, Donald R.:
(see Hall, John S. et al.)
Grimes, J. E.:
(see Eads, R. B. et al.)
grisescens, Myotis, 259
groenlandicus, Dicrostonyx, 112, 127, 218
Grooming, Odocoileus, 251
Ground squirrel, spotted, 494
Growth, Neotoma, 478
grypus, Halichoerus, 280, 297
Guatemala, 454
Guettinger, Ralph C.:
(see Dahlberg, Burton L. and Guettinger)

Habitat:
Artibeus, 7, 10
Baimys, 520
Balantiopteryx, 2
Bassariscus, 500
Castor, 497
Choeronycteris, 513
Citellus, 494
Desmodus, 11
Dipodomys, 496, 503
Erethizon, 499, 526
Eutamias, 444, 446, 495
Glossophaga, 4
Lepus, 493
Mephitis, 501
Microtus, 444, 446, 499, 530
Mus, 499
Mustela, 500
Myotis, 15
Neotoma, 444, 448, 472, 498
Ondatra, 499
Onychomys, 498
Perognathus, 444, 446, 496
Peromyscus, 444, 446, 449, 497, 498
Procyon, 500
Pteronotus, 3
Rattus, 499, 531
Reithrodontomys, 497, 530
Sciurus, 495
Sigmodon, 498
Sorex, 530
Sylvilagus, 494
Tamiasciurus, 495
Taxidea, 500
Thomomys, 495, 496
Urocyon, 500
Vulpes, 500
Zapus, 446
Habits:
Felis, 515

Myotis, 15
Peromyscus, 129
Tamias, 129
haematoreia, Neotoma, 197
Halichoerus grypus, Sweden, hab., 280; 297
Hall, E. Raymond:
(see Bee, James W. and Hall)
Hall, John S., Roger J. Cloutier and Donald R. Griffin:
Longevity records and notes on tooth wear of bats, 407
Halloran, Arthur F.:
Live and dressed weights of American bison, 139
A note on the Sonoran pronghorn, 423
Haltenorth, T. and W. Trense:
Big game of the world and its trophies (Reviewed), 535
Handley, Charles O., Jr.:
First records of the occurrence of the long-legged bat (Macrophyllum) in Honduras and Venezuela, 406
Hansen, Richard M.:
Communal litters of Peromyscus maniculatus, 523
Influence of daylength on activity of the varying lemming, 218
Remarks on the bifid claws of the varying lemming, 127
Hare, snowshoe, 517, 527
Harper, Francis:
The mammals of Keewatin (Reviewed), 142
Hastings, Claude E.:
Nest of the cotton rat, 416
Haugen, Arnold O. and Daniel W. Speake:
Parturition and early reactions of white-tailed deer fawns, 420
Hawley, Vernon D. and Fletcher E. Newby:
Marten home ranges and population fluctuations, 174
Hay, Keith G.:
Record beaver litter for Colorado, 268
Health, Tamias, 195
Hecht, Max K.:
(see Koopman, Karl F. et al.)
Hedgehog, 254, 279
hemionus, Odocoileus, 116, 247, 277, 423
Hibbard, Claude W.:
Two new Cenozoic microtine rodents, 39
Hibbard, Edmund A.:
Age ratios in wild mink populations, 412
Hibernation:
Citellus, 423
Eptesicus, 423
Mesocricetus, 423
Myotis, 423
Perognathus, 60
Ursus, 423
Hill, J. E.:
(see Laurie, E. M. O. and Hill)
Hinegardner, Ralph T.:
(see Chew, Robert M. and Hinegardner)
Hippopotamus amphibius, long., 279
Hippopotamus:
Nile, 279
pigmy, 279
hirsutus, Artibeus, 6
hispidus, Sigmodon, 72, 416, 521
Hitchcock, Harold B.:
The use of bird bands on bats, 402
Hoffmeister, Donald F.:
Review of the long-nosed bats of the genus Leptonycteris, 454
(see Musgrove, William F. and Hoffmeister)
(see Parmalee, Paul W. and Hoffmeister)
Holdenried, R.:
Natural history of the bannertail kangaroo rat in New Mexico, 330
hollisteri, Sorex, 78
Holloway, Harry L.:
Sorex dispar at Mountain Lake, Virginia, 406
Home range:
Martes, 175
Myotis, 27
Synaptomys, 132
Homing:
Myotis, 514
Tamias, 519
Honduras, 406
Hooper, Emmet T.:
Record of the Mexican harvest mouse (Reithrodontomys mexicanus) from Michoacán, México, 521
Supernumerary teeth in Peromyscus truei, 522
Horse, 278, 280
Hough, Fred:
Set hunting pattern of a little brown bat, 121

Howard, Walter E.:
Melanism in Peromyscus boylei, 417
Amount of food eaten by small carnivores, 516
hoyi, Microsorex, 513
Hudson, Paul:
(see Browman, Ludvig G. and Hudson)
hudsonicus, Tamiasciurus, 95, 103, 282, 495
hudsonius, Clethrionomys, 104
Zapus, 95, 114
humulis, Reithrodontomys, 72
Hunting, Marles, 517
Hutia, short-tailed, 164

Idaho, 277
idahoensis, Sylvilagus, 274
illinoensis, Neotoma, 197
Illinois, 53, 261, 522
Illustration:
Activity of lemmings, 221, 222
Bifid claws of lemming, 128
Breeding season of Sorex, 159
Cougar and mule deer, 125
Dentition of Crocidura, 258
Dentition of Mephititaxus, 453
Distribution of Leptonycteris, 455
Distribution of Myotis, 16
Distribution of Neotoma, 198
Embryology of Perognathus, 208
Enamel patterns of Microtus teeth, 45
Femurs of known-age mink, 321
Gophers trapped on 2 acres, 266
Homing flights of Myotis, 29
Mandible of Mephititaxus, 452
Map of Bahamas, 169
Map of Bernalillo Co., N. Mex., 493
Map of Churchill region, Man., 99
Map of Glacier Nat. Park, Mont., 176
Modified Young's trap, 532
Molt of Myotis, 464
Molt of Tadarida, 462
Nasua preparing to feed, 264
Pancreas of beluga, 187, 188
Pen for woodrat breeding, 475
Phocoena vomerina, 265
Range of gray seal, 304
Range of porcupine in Conn., 134
Sex ratios of Myotis, 29
Skull and pelvic girdles of mink, 322
Skulls of octodonts, 354, 355, 357
Tail vertebrae of Peromyscus, 214, 215, 217
Testis of Perognathus, 209
Testis volumes, Sylvilagus, 238
Teeth of Alaska fur seal, 312-318
Teeth of Octodon and Petromys, 358
Teeth of Ogmodontomys, 40, 42
Teeth of Nebraskomys, 42
Tooth measurements of rodents, 224-231
Trapping area of Dipodomys, 331
Tusks and skull of elephant, 244, 245
Weights of Sorex, 161
Weights of Sylvilagus, 236
Incisor procumbency, rodents, 223
Indiana, 281, 282
Ingles, Lloyd G.:
Observations on behavior of the coatimundi, 263
ingrahami, Capromys, 165
insignis, Napaeozapus, 272
intermedius, Perognathus, 496
Phenacomys, 105
interpres, Citellus, 495
interrupta, Spilogale, 261
Iowa, 514
Irving, Laurence, John Krog, Hildur Krog and Mildred Monson:
Metabolism of varying hare in winter, 527
Ivey, R. DeWitt:
Ecological notes on the mammals of Bernalillo County, New Mexico, 490

Jack rabbit:
black-tailed, 419, 481, 485
Texas, 493
Jackson, Hartley H. T.:
The status of Eutamias minimus jacksoni, 518
Jacobs, G. J.:
Blood values of two American carnivores, 261
Jaguarundi, 515
jamaicensis, Artibeus, 7, 166, 409
Janes, Donald W.:
Body temperature of the eastern cottontail, 137
Jennings, William L. and James N. Layne:
Myotis sodalis in Florida, 259
Johnston, Richard F.:
Adaptation of salt marsh mammals to high tides, 529
Johnston, Richard F. and Robert L. Rudd:
Breeding of the salt marsh shrew, 157
johnstoni, Okapia, 279

Jones, Fred L.:
Southern extension of the range of the pigmy rabbit in California, 274
(see Beauchamp, Don E. and Jones)
Jones, I. Chester:
The adrenal cortex (Reviewed), 537
Jones, J. Knox, Jr. and Albert A. Barber:
Home ranges and populations of small mammals in central Korea, 377
Justice, Keith E.:
The pigmy mouse in southeastern Arizona, 520

Kangaroo rat:
bannertail, 496
Merriam, 496
Ord's, 496
Kansas, 173, 212, 416, 463, 465
keenii, Myotis, 259, 407
Kentucky, 140, 514
Kinkajou, 263, 279
Kinney, Alva R., Dean H. Ecke and Virgil I. Miles:
Modification of a live-catch rodent trap to protect small mammals, 531
Kirkpatrick, Ralph D.:
(see Neal, Bobby J. and Kirkpatrick)
Klein, Harold G.:
Inducement of torpidity in the woodland jumping mouse, 272
Klimstra, W. D.:
An additional record of Reithrodontomys in Illinois, 522
Koopman, Karl F., Max K. Hecht and Emanuel Ledecky-Janecek:
Notes on the mammals of the Bahamas with special reference to the bats, 164
Korea, 374, 377
Krog, Hildur:
(see Irving, Laurence, et. al.)
Krog, John:
(see Irving, Laurence, et al.)

Lama glama, long., 279
Landry, Stuart O., Jr.:
Factors affecting the procumbency of rodent upper incisors, 223
The relationship of Petromys to the Octodontidae, 351
laricorum, Sorex, 87
Lasionycteris noctivagans, N. Mex., distr., 493
lasiura, Crocidura, 390
Lasiurus borealis, Bahama, misc., 167
borealis borealis, Bahama, misc., 167
borealis minor, Bahama, misc., 167
cinereus, Tex., distr., 514
cinereus cinereus, Ky., distr., 140
minor, Bahama, misc., 167
seminolus, Bahama, misc., 167
latirostris, Trichechus, 137
Laurie, E. M. O. and J. E. Hill:
Renaming of Miniopterus australis minor Laurie and Hill, 128
Laycock, William A.:
Seasonal periods of surface inactivity of the pocket gopher, 132
Layne, James N.:
Homing behavior of chipmunks in central New York, 519
(see Jennings, William L. and Layne)
leachi, Glossophaga, 4
Lechleitner, R. R.:
Reingestion in the black-tailed jack rabbit, 481
Ledecky-Janecek, Emanuel:
(see Koopman, Karl F. et al.)
Lemke, C. W.:
An unusually late pragnancy in a Wisconsin cottontail, 275
Lemming:
brown, 112
northern bog, 112
varying, 112, 127, 218
Lemmus trimucronatus trimucronatus, Man., distr., 112
Leopard, snow, 279
lepida, Neotoma, 448, 472
lepidus, Natalus, 167
leporinus, Noctilio, 2
Leptarctus oregonensis, tax., 452
primus, tax., 452
progessus, tax., 452
Leptonycteris nivalis curasoae, Neth. Antilles, distr., 454; tax., 460
nivalis longala, Tex., Mex., distr., 454; tax., 459
nivalis nivalis, Mex., distr., 5; Tex., Guatemala, Mex., distr., 454; tax., 458
nivalis *sanborni*, Ariz., Mex., distr., 454; tax., orig. desc., 456
Lepus americanus, Colo., as prey, escape, 517
americanus macfarlani, Alaska, metabolism in winter, 527

californicus californicus, Calif., reingestion, 481
californicus deserticola, Utah, parasites, 485
californicus melanotis, S. Dak., distr., 419
californicus texianus, N. Mex., distr., hab., 493
europaeus, reingestion, 482
leucas, Delphinapterus, 185
leucogaster, Onychomys, 269, 498, 521
leucopus, Peromyscus, 54, 129, 282, 498
leucurus, Citellus, 495
Leyhausen, Paul:
Verhaltensstudien an Katzen (Reviewed), 143
Libby, Wilbur L.:
Observations on beaver movements in Alaska, 269
liberiensis, Choeropsis, 279
Life zones, New Mexico, 491
lilium, Sturnira, 6
listeri, Rattus, 225
Litter, communal, Peromyscus, 523
Litter size:
Clethrionomys, 393
Dasypus, 529
Dipodomys, 342
Microtus, 393
Peromyscus, 393
Sorex, 160
Sylvilagus, 239, 275
lituratus, Artibeus, 8, 409
Live trapping, Dipodomys, 330
Llama, 279
Lonchorhina aurita, Bahama, misc., 166
Longevity:
Anoa, 279
bats, 407
Bibos, 279
Bos, 280
Cervus, 279
Choeropsis, 279
Equus, 279, 280
Erinaceus, 279
Galago, 279
Halichoerus, 280
Hippopotamus, 279
Lama, 279
Nycticebus, 279
Okapia, 279
Ornithorhynchus, 279
Panthera, 279
Phacochoerus, 279
Phloeomys, 279
Potos, 279
Rhinoceros, 279
longicaudus, Microtus, 446, 499
longimembris, Perognathus, 60, 207
loringi, Clethrionomys, 87
Loris, slow, 279
lotor, Procyon, 164, 261, 282, 500
Loxodonta africana, Africa, anat., 243
lucifugus, Myotis, 32, 121, 407, 423, 514
ludovici, Sturnira, 5
Lukens, Paul W., Jr. and William B. Davis:
Bats of the Mexican state of Guerrero, 1
Lynx canadensis, Wisc., distr., 414

macfarlani, Microtus, 78
mackenzii, Phenacomys, 105
MacLeod, Charles F.:
(see Beer, James R. et al.)
Macrophyllum macrophyllum, 406
macrotis, Vulpes, 500
Macrotus mexicanus mexicanus, Mex., distr., wt., 4
waterhousii compressus, Bahama, misc., 165
waterhousii heberfolium, Bahama, misc., 165
maculata, Euderma, 260, 406
magister, Neotoma, 197
Makepeace, Laura I.:
Rabbits, a subject bibliography (Reviewed), 142
Manatee, 137
manatus, Trichechus, 137
maniculatus, Peromyscus, 54, 95, 210, 397, 416, 446, 449, 497, 521
Manitoba, 87, 98, 132, 185, 275
Manville, Richard H.:
Longevity of captive mammals, 279
Roe deer in New York, 422
(Review of) Claude T. Barnes, The natural history of a Wasatch summer, 426
Review of) William Henry Burt, Mammals of the Great Lakes region, 429
(Review of) Burton L. Dahlberg and Ralph C. Guettinger, The white-tailed deer in Wisconsin, 143
(Review of) David E. Davis, Manual for analysis of rodent populations, 286

(Review of) Francis Harper, The mammals of Keewatin, 142
(Review of) Paul Leyhausen, Verhaltensstudien an Katzen, 143
(Review of) Laura I. Makepeace, Rabbits, a subject bibliography, 142
(Review of) Ralph S. Palmer and E. M. Reilly, Jr., A concise color standard, 143
(Review of) Dennis G. Rainey, Eastern woodrat, 285
Marmota monax, Ind., parasites, 282
Marten, 174, 517
Martes, tax., 452
Martes americana, Mont., pop., 174; repro., 412; Colo., as predator, 517
Maryland, 466
Massachusetts, 407
Maternal care, Myotis, 122
Matheson, Colin:
Potential longevity in some mammals, 280
Mating, Tamias, 195
Mayer, William V.:
A method for determining the activity of burrowing mammals, 531
McCabe, Robert A.:
Observations on the disappearance of shed caribou antlers, 275
McCullough, Robert A.:
Possible occurrence of identical twins in the whitetail deer, 421
mcgrewi, Nebraskomys, 43
Measurements:
Artibeus, 7, 8, 11
Balantiopteryx, 1
Corynorhinus, 141
Dasypterus, 12
Dicrostonyx, 112
Microtus, 110
Neotoma, 199
Oryzomys, 141
Peromyscus, 212
Phenacomys, 106
Sorex, 103
Sturnira, 6
Synaptomys, 112, 132
megalophylla, Mormoops, 3
megalotis, Micronycteris, 3
Reithrodontomys, 497, 522
Melanism, Peromyscus, 417
Mephitis mephitis, Ind., parasites, 282
mephitis varians, N. Mex., distr., hab., 501
Mephititaxus ancipidens, Fla., foss., dentition, tax., 452
merriami, Dipodomys, 496, 502, 521
Eutamias, 444
mesoleucus, Conepatus, 414
Metabolism, winter, Lepus, 527
mexicana, Chilonycteris, 2
Choeronycteris, 5, 513
Micronycteris, 3
Neotoma, 499
Tadarida, 13, 493
mexicanus, Macrotus, 4
Natalus, 11
Noctilio, 2
Reithrodontomys, 521
Mexico, 1, 417, 454, 463, 521
Michigan, 129, 136, 526
Micronycteris megalotis mexicana, Mex., distr., wt., 3
microps, Dipodomys, 489
micropus, Neotoma, 498
Microsorex hoyi, Ohio, distr., 513
Microtus californicus, Calif., 157; Calif., hab., 444; Calif., adap., nest, hab., 530
economis macfarlani, Alaska, thermal conductivity, 78
longicaudus, Calif., hab., 446; N. Mex., distr., hab., 499
ochrogaster, Colo., in owl pellets, 135; Ind., parasites, 282; 522
ochrogaster ohioensis, Ohio, ecol., repro. cycle, reproduction, 44
pennsylvanicus, Ohio, ecol., repro. cycle, recognition, 44; Colo., in owl pellets, 135; comp., 162; as prey, 281, 468
pennsylvanicus aphorodemus, Man., distr., 107
pennsylvanicus drummondi, Man., ecol., pop., 87
xanthognathus, Man., distr., 111
Miles, A. E. W.:
(see Colyer, Frank and Miles)
Miles, Virgil I.:
(see Kinney, Alva R. et al.)
Miller, Richard S.:
(Review of) R. A. Beatty, Parthenogensis and polyploidy in mammalian development, 536
minimus, Eutamias, 95, 518

Sigmodon, 498, 521
Miniopterus australis minor, syn., 128
australis *shortridgei*, new name, 128
Mink, 319
Minnesota, 269, 393
minor, Lasiurus, 167
Miniopterus, 128
miradorensis, Eptesicus, 12
Molossus sinaloae, Mex., distr., wt., 13
Molt:
Myotis, 461
Tadarida, 461
monax, Marmota, 282
Monson, Mildred:
(see Irving, Laurence et al.)
Montana, 174, 182, 247
montanus, Reithrodontomys, 521
Moore, Joseph Curtis:
Newborn young of a captive manatee, 137
Mormoops blainvilli, Bahama, foss., 165
megalophylla megalophylla, Mex., distr., 3
Morrison, Peter R.:
Observations on body temperature in a hedgehog, 254
Morrison, Peter R. and William J. Tietz:
Cooling and thermal conductivity in three small Alaskan mammals, 78
morroensis, Dipodomys, 503
Mortality:
Erethizon, 526
Myotis, 32
Sorex, 162
Mounds, Dipodomys, 333
Mouse:
brush, 498
deer, 210, 416, 497, 523
grasshopper, 269, 498
harvest, 497, 521
house, 113, 361, 499
jumping, 114, 272
meadow, 44, 499
pigmy, 520
piñon, 498
pocket, 60, 496
rock, 498
white-footed, 129, 211, 498
Movements:
Castor, 269
Dipodomys, 345
Halichoerus, 297
Odocoileus, 249
Mumford, Russell E.:
Myotis occultus and Myotis yumanensis breeding in New Mexico, 260
(see Phillips, Richard E. and Mumford)
murinus, Desmodus, 11
Murray, Keith F.:
Some problems of applied small mammal sampling in western North America, 441
Mus musculus, Calif., 449; Ga., ecol., 72; Man., distr., 113; N. Mex., distr., hab., 499; comp., 162; as prey, 281, 468
musculus, Mus, 72, 113, 135, 162, 281, 449, 468, 499
Musgrove, William F. and Donald F. Hoffmeister:
A northwestern record of the hog-nosed skunk, Conepatus mesoleucus, 414
Muskrat, 111, 499
Mustela erminea, Manitoba, ecol., 95
erminea murica, N. Mex., distr., hab., 500; Utah, distr., 411
erminea richardsoni, Manitoba, distr., 103
frenata neomexicana, N. Mex., distr., hab., 500
frenata nevadensis, Utah, distr., 411
frenata xanthogenys, food, 517
nivalis mosanensis, 391
rixosa rixosa, Manitoba, distr., 103
vison, Mont., aging, 319; N. Dak., age ratios, 413
Myotis, as food, 30
austroriparius, Ky., distr., 515; 15, 259
fortidens, Mex., distr., 12
grisescens, 259
keenii, long., 407; 259
lucifugus, Conn., maternal behavior, 122; Iowa, homing, 514; N.Y., foraging, 121; long., 407; mortality, sex ratio, 32
occultus, N. Mex., hab., 260
sodalis, Fla., desc., 259
thysanodes, N. Mex., distr., 492
velifer, Tex., color, molt, pelage, 463
yumanensis, N. Mex., distr., hab., 260, 493

nanus, Artibeus, 11
Sorex, 256, 513
Napaeozapus insignis, N.Y., hab., 272

narica, Nasua, 123, 263
Nasua narica pallida, Ariz., distr., 123
narica yucatanica, Panama, hab., 263
nasutus, Peromyscus, 498
Natalus lepidus, Bahama, misc., 167
mexicanus, Mex., distr., 11
tumidifrons, Bahama, misc., 166
Neal, Bobby J. and Ralph D. Kirkpatrick:
Anomalous canine tooth development in an Arizona peccary, 420
Nebraska, 39
Nebraskomys, new genus, 43
mcgrewi, Nebr., orig. desc., foss., 43
Neotoma albigula, N. Mex., distr., hab., 499
cinerea, dent., 227; Utah, breeding, in captivity, 472
floridana, distr., 197
fuscipes, Calif., hab., 444
haematoreia, distr., 197
illinoensis, distr., 197
lepida, Calif., hab., 448; Utah, distr., in captivity, breeding, hab., 472; parasites, 476; growth, 478
magister, 197
mexicana, N. Mex., distr., hab., 499
micropus, N. Mex., distr., hab., 498
pennsylvanica, 197
rubida, distr., 197
smalli, distr., 197
Nest:
Microtus, 530
Rattus, 531
Reithrodontomys, 530
Sigmodon, 416
Sorex, 530
Netherlands Antilles, 454
Nevada, 267
New, John G.:
(see Berbehenn, Kile R. and New)
Newby, Fletcher E.:
(see Hawley, Vernon D. and Newby)
New Hampshire, 421
New Mexico, 256, 260, 330, 463, 490, 513
New York, 121, 210, 268, 272, 422
Nichter, Richard:
The effect of variation in humidity and water intake on activity of Dipodomys, 502
niger, Sciurus, 224, 282
nivalis, Leptonycteris, 5, 454
Mustela, 391
Noctilio leporinus, Mex., distr., 2
noctivagans, Lasionycteris, 493
North Dakota, 412
norvegicus, Rattus, 157, 227, 468, 499, 531
noveboracensis, Peromyscus, 54, 129
novemcinctus, Dasypus, 529
nuttalli, Sylvilagus, 274
Nycticebus coucang, long., 279

occidentalis, Equus, 278
occultus, Myotis, 260
Occurrence:
Equus, 278
Lynx, 414
Thomomys, 267
ochrogaster, Microtus, 44, 135, 282, 522
Odocoileus, as food, 126
hemionus, Wash., repro., 116; Mont., hab., 247; comp., 277; Calif., anat., 423
virginianus, comp., 277; Ala., repro., hab., 420; N.H., repro., 421
Odum, Eugene P.:
(see Gentry, John B. and Odum)
(see Schwartz, Albert and Odum)
Ogmodontomys *sawrockensis*, Nebr., orig. desc., foss., 39
Ohio, 44, 513
ohioensis, Microtus, 44
okapi, 279
Okapia johnstoni, long., 279
Oklahoma, 139, 463, 465
olivieri, Crocidura, 258
Olsen, Stanley J.:
The lower dentition of Mephititaxus ancipidens from the Florida Miocene, 452
Ondatra zibethicus albus, Man., distr., 111
zibethicus osoyoosensis, N. Mex., distr., hab., 499
Ontario, 212, 257
Onychomys leucogaster, Minn., desc., 269; N. Mex., distr., hab., 498; Ariz., 521
torridus, Ariz., 521
ordii, Dipodomys, 489, 496
oregonensis, Leptarctus, 452
Ornithorhynchus anatinus, long., 279
Oryctolagus cuniculus, reingestion, 481
Oryzomys palustris, Ky., distr., 141
Osteology:
Mustela, 319
Octodontidae, 351
Owl pellets, in:

Dipodomys, 135
Microtus, 135
Mus, 135
Neotoma, 135
Perognathus, 135
Peromyscus, 135
Rattus, 135
Reithrodontomys, 135
Sylvilagus, 135

pallida, Nasua, 123
pallidus, Antrozous, 493
palmarum, Artibeus, 8
Palmer, Ralph S. and E. M. Reilly, Jr.:
A concise color standard (Reviewed), 143
palustris, Oryzomys, 141
Sorex, 95, 103
Sylvilagus, 482
Panama, 263
panamintinus, Dipodomys, 503
Pancreatic histology, Delphinapterus, 185
Pancreatic weight, Delphinapterus, 185
Panthera tigris, long., 279
uncia, long., 279
Panuska, Joseph A. and Nelson J. Wade:
Field observations on Tamias striatus in Wisconsin, 192
Paraechinus aethiopicus, comp., 255
Paramys delicatus, dent., 233
Parasites:
Dipodomys, 489
Lepus, 485
Marmota, 282
Martes, 412
Mephitis, 282
Microtus, 282
Myotis, 30
Neotoma, 476
Peromyscus, 282
Pitymys, 282
Procyon, 282
Scalopus, 281
Sciurus, 282
Sylvilagus, 282
Synaptomys, 282
Tamiasciurus, 282
Parmalee, Paul W. and Donald F. Hoffmeister:
Archaeozoological evidence of the spotted skunk in Illinois, 261
Parturition, Odocoileus, 116
parva, Cryptotis, 72, 161
parvidens, Sturnira, 6
parvula, Rhogeessa, 13
parvus, Perognathus, 207, 446
Pecari tajacu, Ariz., dent., 420
Peccary, 420
Pelage:
Myotis, 463
Neotoma, 201
Tadarida, 461
penicillatus, Perognathus, 521
peninsulae, Apodemus, 387
pennsylvanica, Neotoma, 197
pennsylvanicus, Microtus, 44, 87, 107, 135, 162, 281, 395, 468
Perognathus apache, N. Mex., distr., 496
baileyi, Ariz., 521
californicus, Calif., hab., 444
flavus, Ariz., 521; N. Mex., distr., hab., 496
formosus, Utah, anat., hab., 207
intermedius, N. Mex., distr., hab., 496
longimembris, Utah, anat., hab., 207; temp., hibernation, aestivation, 60
parvus, Utah, anat., hab., 207; Calif., hab., 446
penicillatus, Ariz., 521
Peromyscus boylei, Calif., hab., 444
boylei boylei, Calif., melanism, 417
boylei rowleyi, N. Mex., distr., hab., 498
californicus, Calif., hab., 444
leucopus, Ind., parasites, 282; N.Y., Va., meas., 211
leucopus leucopus, Ill., ecol., distr., pop., 54
leucopus noveboracensis, Ill., ecol., distr., pop., 54; Mich., hab., 129
leucopus tornillo, N. Mex., distr., hab., 498
maniculatus, Man., ecol., 95; Tex., distr., 416; Calif., hab., 446; Colo., litter, 523; Ariz., 521
maniculatus bairdi, N.Y., Kans., meas., 210; Mich., hab., 449; Ill., ecol., distr., pop., 54
maniculatus gracilis, N. Y., meas., 210
maniculatus maniculatus, Ont., 212
maniculatus nubiterrae, Va., 212
maniculatus rufinus, N. Mex., distr., hab., 497
nasutus, N. Mex., distr., hab., 498
polionotus, Ga., ecol., pop., 72

truei, Calif., hab., 444; N. Mex., distr., hab. 498; dent., 522
perotis, Eumops, 514
perspicillata, Carollia, 409
Petromys, 351
Pettus, D. and R. M. Robinson:
Records of the deer mouse on the gulf coastal plain, 416
Phacochoerus aethiopicus, long., 279
Phenacomys intermedius, Man., distr., 105
Phillips, Richard E. and Russell E. Mumford:
A record of Myotis austroriparius for Kentucky, 515
Phloeomys cumingi, long., 279
Phocoena vomerina, Calif., desc., 265
Phocoenoides dalli, Calif., distr., 126
Physiology, Myotis, 32
pinetorum, Pitymys, 281, 282
Pipistrellus subflavus, 259
Pitymys pinetorum, Ind., as food, parasites, 281, 282
Platypus, 279
Play, Felis, 515
plicata, Balantiopteryx, 1
Pocket gopher, 523
polionotus, Peromyscus, 72
Poorbaugh, John:
(see Findley, James S. and Poorbaugh)
Population fluctuations, Martes, 179
Populations:
Apodemus, 374, 382, 387
Clethrionomys, 87
Dipodomys, 334
Halichoerus, 297
Microtus, 87
Mus, 72
Peromyscus, 54, 72
Rattus, 270
Sorex, 87, 256
Porcupine, 133, 418
Canada, 526
yellow-haired, 499, 526
Porpoise, Dall, 126
harbor, 265
Potos flavus, comp., 263; long., 279
Prairie dog, 494
Predation, 466
Dipodomys, 348
Predator, as:
Felis, 466
Martes, 517
Predator of Rattus, 466
Prenatal survival, Cricetidae, 392
Prey, as:
Citellus, 517
Lepus, 517
Sorex, 513
Thomomys, 517
primus, Leptarctus, 452
princeps, Zapus, 446
Procyon lotor, Ind., parasites, 261
lotor elucus, Bahama, misc., 164
lotor maynardi, Bahama, misc., 164
lotor mexicanus, N. Mex., distr., hab., 500
progessus, Leptarctus, 452
Pronghorn, 423
Pruitt, William O., Jr.:
Tooth reduction in the tundra shrew, 121
Prychodka, W.:
(Review of) Haltenorth and Trense, Big game of the world and its trophies, 535
(Review of) E. Stresemann, Exkursionsfauna von Deutschland, 284
psilotis, Chilonycteris, 2
Pteronotus davyi fulvus, Mex., distr., hab., 3
putorius, Spilogale, 141

quadrivittatus, Eutamias, 495
Quay, W. B.:
Pancreatic weight and histology in the white whale, 185

Rabbit, cottontail, 136
pigmy, 274
Raccoon, 164, 261, 500
rafinesquii, Corynorhinus, 141, 493
Rageot, R. H.:
Predation on small mammals in the Dismal Swamp, Virginia, 281
Rainey, Dennis G.:
Eastern woodrat, life history and ecology (Reviewed), 285
Range, Sylvilagus, 274
Rangifer arcticus, Man., misc., 275
Rat, 270
cotton, 416
giant, 279
kangaroo, 330, 502
Norway, 499
Rattus berdmorei, dent., 225
listeri, dent., 225
norvegicus, Calif., adap., hab., nests,

157, 531; N. Mex., distr., hab., 499; as prey, 468; dent., 227
rattus, dent., 225; 389
raviventris, Reithrodontomys, 157
Ray, Clayton E.:
Pre-columbian horses from Yucatan, 278
Recognition, Microtus, 44
rectipenna, Grampus, 186
Reed, Edward B.:
Mammal remains in pellets of Colorado barn owls, 135
Reilly, E. M., Jr.:
(see Palmer, Ralph S. and Reilly)
Reingestion:
Lepus, 481, 482
Oryctolagus, 481
Sylvilagus, 482
Reithrodontomys, 517
burti, Mex., distr., 417
fulvescens, Mex., distr., 417
humulis, Ga., ecol., 72
megalotis, Ill., distr., 522; N. Mex., distr., hab., 497
mexicanus, Mex., distr., 521
montanus, Ariz., 521
raviventris, Calif., adap., hab., nest, 157, 530
Reproduction:
Choloepus, 419
Citellus, 414
Clethrionomys, 392
Dipodomys, 330
Microtus, 108, 392
Martes, 412
Odocoileus, 116, 420, 421
Peromyscus, 392
Reproductive cycle, Microtus, 44
Reproductive tract, Perognathus, 207
Response to weather, Peromyscus, 72
Reynolds, Hudson G.:
Porcupine behavior in the desert-shrub type of Arizona, 418
Rhinoceros, Indian, 279
Rhinoceros unicornis, long., 279
Rhogeessa parvula, Mex., distr., 13
Rice, Dale W.:
Life history and ecology of Myotis austroriparius in Florida, 15
Sexual behavior of tassel-eared squirrels, 129
richardsoni, Citellus, 414
Dicrostonyx, 112
Mustela, 103
Riedesel, M. L. and G. E. Folk, Jr.:
Serum magnesium changes in cold-exposed mammals, 424
Ringtail, 500, 516
rixosa, Mustela, 103
Robinette, W. Leslie:
(see Gashwiler, Jay S. and Robinette)
Robinson, R. M.:
(see Pettus, D. and Robinson)
Rorqual, lesser, 186
Rosasco, M. Edwin:
Seasonal abundance of the tick Dermacentor perumapertus on the black-tailed jack rabbit, with notes on other ectoparasites, 485
rostratus, Steno, 190
Roth, Charles E.:
Distribution of the porcupine in Connecticut, 133
Notes on maternal care in Myotis lucifugus, 122
rotundus, Desmodus, 11
rubida, Neotoma, 197
rubiginosa, Chilonycteris, 2
rubricatus, Dicrostonyx, 127
Rudd, Robert L.:
(see Johnston, Richard F. and Rudd)
rufescens, Tamias, 129
rufocanus, Clethrionomys, 390
Russell, Robert J. and Albert A. Alcorn:
Reithrodontomys burti in Sinaloa, 417
rutilus, Clethrionomys, 78

Saccopteryx bilineata, Mex., distr., 1
sawrockensis, Ogmodontomys, 39
Scalopus aquaticus, Ind., parasites, 281
Schantz, Viola S.:
Lepus californicus melanotis record from southeastern South Dakota, 419
Schramm, Peter:
A new homing record for the little brown bat, 514
Schwartz, Albert and Eugene P. Odum:
The woodrats of the eastern United States, 197
Sciurus aberti, Colo., sexual behavior, 129; N. Mex., distr., hab., 495
niger, Ind., parasites, 282; 224
Scott, Robert F.:
(see Buckley, John L. and Scott)
Seal:

Alaskan fur, 310
gray, 280, 297
Seasonal activity, Thomomys, 132
seminolus, Lasiurus, 167
Serum magnesium:
Citellus, 423
Eptesicus, 423
Mesocricetus, 423
Myotis, 423
Ursus, 423
Setzer, Henry W.:
An extra tooth in Crocidura, 258
Sex ratio:
Dipodomys, 336
Myotis, 24, 32
Sylvilagus, 235
Tamias, 193
Sexual behavior, Sciurus, 129
sezekorni, Erophylla, 166
Shadle, Albert R.:
Size of beaver chips cut from aspen, 268
shortridgei, Miniopterus, 128
Shrew:
cinereus, 87, 103
Crocidura, 258
dwarf, 256, 513
gray long-tailed, 406
long-tail, 78
masked, 256
Ohio, 513
pigmy, 513
saddle-back, 87
salt marsh, 157
tundra, 121
water, 103
sibiricus, Eutamias, 390
Sickness, Odocoileus, 251
Sigmodon hispidus, Ariz., 521; Ga., 72; Kan., hab., 416
minimus, Ariz., 521; N. Mex., distr., hab., 498
sinaloae, Molossus, 13
Skeleton, Spilogale, 261
Skunk:
hog-nosed, 414
spotted, 261
striped, 501
Sloth, two-toed, 419
smalli, Neotoma, 197
Smith, Donald A. and J. Bristol Foster:
Notes on the small mammals of Churchill, Manitoba, 98
Smith, Elizabeth:
Experimental study of factors affecting sex ratios in the little brown bat, 32
Smith, William W.:
Factors influencing the decline in commensal rat infestations in a rural area of southeastern Georgia, 270
smithi, Synaptomys, 112
Social order, Odocoileus, 250
sodalis, Myotis, 259
Sorex arcticus laricorum, Man., ecol., pop., 87
cinereus, Ont., pop., 256; comp., 161
cinereus cinereus, Man., distr., ecol., pop., 87, 103
cinereus hollisteri, Alaska, thermal conductivity, 78
cinereus ohioensis, Ohio, distr., as prey, 513
dispar, Va., distr., 406
fumeus, comp., 160
nanus, N. Mex., distr., 513; misc., 256
palustris, Man., ecol., distr., 95, 103
tundrensis, Alaska, dent., 121
vagrans, comp., 160; Calif., adap., hab., nest, 530
vagrans halicoetes, Calif., hab., 157
soricina, Glossophaga, 4, 166
South Dakota, 419
Sowls, Lyle K.:
Reproduction in the Audubon cottontail in Arizona, 234
Speake, Daniel W.:
(see Haugen, Arnold O. and Speake)
spectabilis, Dipodomys, 331, 496, 521
Spilogale interrupta, Ill., anat., 261
putorius, Ky., distr., 141
spilosoma, Citellus, 494
Squirrel:
red, 103
rock, 494
spruce, 495
tassel-eared, 129, 495
Texas antelope, 495
white-tailed antelope, 495
Stager, Kenneth E.:
Records of the spotted bat from California and Arizona, 260
Steno rostratus, comp., 190
Stone, Walter D.:
The gestation period of the two-toed sloth, 419
Stresemann, E.:

Exkursionsfauna von Deutschland (Reviewed), 284
striatus, Tamias, 95, 129, 192, 519
Sturnira lilium parvidens, Mex., distr., 6
ludovici, Mex., distr., 5
suaveolens, Crocidura, 391
subflavus, Pipistrellus, 259
subrufa, Carollia, 5
Sweden, 280
Sylvilagus audubonii arizonae, Ariz., hab., wt., 234; 274
audubonii cedrophilus, N. Mex., distr., hab., 494
floridanus, Ind., parasites, 282; Kan., temp., 137; Wisc., anat., 275; Mich., blood, 136; reingestion, 482
floridanus cognatus, N. Mex., distr., hab., 494
floridanus holzneri, Ariz., 235
floridanus mearnsi, Mich., coprophagy, 136
idahoensis, Calif., misc., 274
nuttalli grangeri, 274
palustris, reingestion, 482
Synaptomys borealis, Man., distr., 112
cooperi, Ind., parasites, 282; Man., ecol., home range, 95, 132

Tadarida brasiliensis bahamensis, Bahama, misc., 168
brasiliensis mexicana, Tex., color, molt, pelage, 461
mexicana, Mex., 13; N. Mex., 493
tajacu, Pecari, 420
talpoides, Thomomys, 132
Tamias striatus, Man., ecol., 95; Wisc., hab., wt., 192
striatus griseus, syn., 192
striatus lysteri, syn., 192; N.Y., homing, 519
striatus rufescens, Mich., hab., 129
Tamiasciurus hudsonicus, Ind., parasites, 282; Manitoba, ecol., 95
hudsonicus hudsonicus, Man., distr., 103
hudsonicus mogollonensis, N. Mex., distr., hab., 495
tau, Equus, 278
taurus, Bos, 280
Taxidea, 453
taxus berlandieri, N. Mex., distr., hab., 500
Taxonomy:
Artibeus, 6
Clethrionomys, 104
Eutamias, 518
Leptarctus, 452
Leptonycteris, 454
Martes, 452
Mephititaxus, 452
Nebraskomys, 43
Ogmodontomys, 39
taxus, Taxidea, 500
taylori, Baiomys, 520
Techniques, bat banding, 402
telmalestes, Blarina, 281
Temperature, body:
Perognathus, 60
Sylvilagus, 137
tenellus, Thomomys, 132
Texas, 416, 454, 463, 514
Thermal conductivity:
Clethrionomys, 78
Microtus, 78
Sorex, 78
Thomomys bottae, Ariz., Calif., 524; N. Mex., 525; color, 523; as prey, 517
bottae actuosus, N. Mex., distr., hab., 496
bottae aureiventris, misc., 267
bottae bottae, dent., 227
bottae connectens, N. Mex., distr., hab., 495
talpoides tenellus, Wyo., seasonal activity, 132
thysanodes, Myotis, 492
Tietz, William J.:
(see Morrison, Peter R. and Tietz)
Tiger, Bengal, 279
tigris, Panthera, 279
toltecus, Artibeus, 10
Tooth wear, Myotis, 408
Torpidity, Napaeozapus, 272
torridus, Onychomys, 521
townsendi, Corynorhinus, 141
Trap, live-catch for rodents, 531
Trapping, 443
Trapping success, marten, 175
Trense, Werner:
(see Haltenorth, T. and Trense)
Trichechus manatus latirostris, Fla., young of, 137
tridecemlineatus, Citellus, 423
trimucronatus, Lemmus, 112
Trinidad, 409

truei, Peromyscus, 444, 498, 522
Tucker, Harold M.:
Little spotted bat in Idaho, 406
tumida, Rhogeessa, 13
tumidifrons, Natalus, 166
tundrensis, Sorex, 121
Twinning, Odocoileus, 421

uncia, Panthera, 279
unicolor, Cervus, 279
unicornis, Rhinoceros, 279
Urocyon cinereoargenteus scotti, N. Mex., distr., hab., 500
ursinus, Callorhinus, 310
Utah, 123, 207, 266, 485

vagrans, Sorex, 157, 160, 530
Van den Brink, F. H.:
Zoogdierengids (Reviewed), 284
variegatus, Citellus, 494
velifer, Myotis, 463
Venezuela, 406
Verme, Louis J.:
Acorn consumption by chipmunks and white-footed mice, 129
Verts, B. J.:
The population and distribution of two species of Peromyscus on some Illinois strip-mined land, 53
Virginia, 212, 281
virginianus, Corynorhinus, 141
Odocoileus, 277, 420, 421
vison, Mustela, 319, 412
Voice, Felis, 515
Vole:
chestnut-checked, 111
field, 87
meadow, 107
phenacomys, 105
prairie, 44
red-backed, 87, 104
tundra, 78
tundra redback, 78
vomerina, Phocoena, 265
Vulpes macrotis neomexicana, N. Mex., distr., hab., 500

Wade, Nelson J.:
(see Panuska, Joseph B. and Wade)
Wales, 280
Wart hog, 279
Washington, 116, 277
Water balance, Dipodomys, 502
Water consumption, Tamias, 194
Water restriction, Mus, 361
waterhousii, Macrotus, 165
Weasel:
bridled, 500
least, 103
long-tailed, 517
short-tailed, 500
Weight:
Artibeus, 6
Balantiopteryx, 1
Chilonycteris, 2
Choeronycteris, 5
Carollia, 5
Dasypterus, 13
Dicrostonyx, 112
Dipodomys, 342
Eptesicus, 12
Glossophaga, 4
Macrotus, 4
Micronycterus, 3
Molossus, 13
Phenacomys, 106
Pteronotus, 3
Sylvilagus, 235
Synaptomys, 112
Tamias, 194
Wendt, Robert F.:
(see Doll, Arthur D. et al.)
Wetherill, Milton A.:
Occurrence of coati in northern Arizona, 123
Whale:
beaked, 186
blue, 188
fin, 186
killer, 186
sperm, 186
Williams, Thomas R.:
Marten and hawk harass snowshoe hare, 517
Wilson, Nixon:
Some ectoparasites from Indiana mammals, 281
Winter activity:
Myotis, 21
Peromyscus, 72
Wisconsin, 192, 275, 414
Woman, 188
Woodrat:
bushy-tailed, 472

desert, 472
eastern, 197
hoary, 498
Mexican, 499
white-throated, 499
Wyoming, 132, 414

xanthinus, Dasypterus, 12
xanthognathus, Microtus, 111

yagouaroundi, Felis, 515
Young:
Citellus, 414
Trichechus, 137
Yucatan, 278
yumanensis, Myotis, 260, 493

Zapus hudsonius, Man., distr., ecol., 95, 114
princeps, Calif., hab., 446
Zebra, Chapman's, 279
zibethicus, Ondatra, 111, 499
Zoogeography:
Artibeus, 163
Capromys, 165
Eptesicus, 167
Erophylla, 166
Glossophaga, 166
Halichoerus, 297
Lasiurus, 167
Lonchorhina, 166
Macrotus, 165
Mormoops, 165
Natalus, 166
Procyon, 164
Tadarida, 168